

2016 MINI Clubman



Dimensions and Capacities (US)

Doors	6	
Seats	5	
Veh. length	inch	168.3
Veh. width	inch	70.9
Width incl mirrors	inch	79.6
Veh. height	inch	56.7
Wheelbase	inch	105.1
Front track		
- Cooper	inch	61.6
- Cooper S	inch	61.4
Rear track		
- Cooper	inch	61.6
- Cooper S	inch	61.5
Overhang front	inch	31
Rear overhang	inch	31.6
Ground clearance	inch	5.6
Turning circle	ft	37.1
Legroom front	inch	41.4
Legroom 2nd row	inch	34.3
Shoulder room front	inch	54.7
Shoulder room rear	inch	52.8
Headroom front	inch	40.2
Headroom front with Sunroof	inch	39
Max. headroom 2nd row	inch	38
- with Sunroof	inch	36.9
Front Seat Volume	ft ³	52.7
Rear Seat Volume	ft ³	39.8
Cargo Volume		
- rear seats in use	ft ³	17.5
- rear seats folded	ft ³	47.9
Gas tank capacity	gal	13.2

Technical Specifications (US)



Cooper

Engine Type	Inline 3-cylinder with TwinPower Turbo technology, turbocharged and direct injected	
Emission classification	SULEV30	
MINI Engine Code	B36A15M0	
Displacement	1499 cm ³	
Engine power	134 bhp @ 4400 rpm	
Engine torque	162 ft lbs @ 1250 rpm	
Transmissions	6-speed automatic	6-speed manual
Fuel Economy (MPG)		
City	25	25
Highway	34	35
Combined	28	28
Gear ratios:		
1st gear	4.459	3.615
2nd	2.508	1.952
3rd	1.556	1.241
4th	1.142	0.969
5th	0.851	0.806
6th	0.672	0.683
7th	N/A	N/A
8th	N/A	N/A
Reverse gear	3.185	3.538
Final drive ratio	3.683	3.882
Curb Weight (lbs)	3160	3105
0-60 mph	8.9 sec.	8.9 sec.
Top speed	127 mph	127 mph
Suspension type front	1-link drive strut axle	
Rear suspension	central pivot axle	
Steering type	rack-and-pinion	
Power-steering	EPS	
Steering ratio	14.2 : 1	
Front brake	disc ventilated	
Rear brake	disc	

Cooper S



Engine Type	Inline 4-cylinder with TwinPower Turbo technology, turbocharged and direct injected	
Emission classification	SULEV30	
MINI Engine Code	B46A20M0	
Displacement	1998 cm ³	
Engine power	189 bhp @ 5000 rpm	
Engine torque	207 ft lbs @ 1250 rpm	
Transmissions	8-speed automatic	6-speed manual
Fuel Economy (MPG)		
City	24	22
Highway	34	32
Combined	27	26
Gear ratios:		
1st gear	5.25	3.923
2nd	3.029	2.136
3rd	1.95	1.276
4th	1.457	0.921
5th	1.221	0.756
6th	1	0.628
7th	0.809	-
8th	0.673	-
Reverse gear	4.015	3.538
Final drive ratio	3.2	3.588
Curb Weight (lbs)	3300	3235
0-60 mph	6.9 sec.	7 sec.
Top speed	142 mph	142 mph
Suspension type front	1-link drive strut axle	
Rear suspension	central pivot axle	
Steering type	rack-and-pinion	
Power-steering	EPS	
Steering ratio	14.2 : 1	
Front brake	disc ventilated	
Rear brake	disc	

